



Office of the Monroe County Surveyor
Trohn Enright-Randolph

Health Services Building
119 West 7th Street
Bloomington, IN 47404
Phone: (812) 349-2570

Dear User,

The following images were obtained in 2017 by the Office of the Monroe County Surveyor from the State Imaging and Microfilm Laboratory at the Indiana State Archives. The field notes and plats for Monroe County are stored on microfilm Reel 4658 at the Indiana State Archives. Each page provided by the State Imaging and Microfilm Laboratory is approximately 18MB. Our office combined the pages by Township & Range and reduced the resulting pdfs. This process may have caused some degradation in quality. We will provide unreduced images of specific pages if required. Please contact us at 812-349-2570 or at SurveyorsOffice@co.monroe.in.us to request a higher quality image of any specific page.

The pdfs are bookmarked with the original page numbers as assigned by the State Imaging and Microfilm Laboratory.


Be prepared to provide the county name, reel number, and the required page numbers when requesting full sized images.

If you would like a DVD of an entire county, please provide us with one DVD per county along with a self-addressed, stamped envelope.

Trohn Enright-Randolph
Monroe County Surveyor

TION

RIW



Township N°X North, Range N°I West of 2nd Meridian. Surveyed by William Harris. 1870, 1879.

Description of the Soil on the interior Section lines

Between Sections	Quality	Between Sections	Quality &c.	Between Sections	Quality &c.
35.36	Part level, part broken. 2 nd & 3 rd rate	33.34	Level, hilly, middling quality. Oak, Beech, Poplar, Ash	31.32	Part level, part broken. Middling good for farming
34.35	Same	32.33	Same	30.31	Level, 2 nd & 3 rd rate. Oak, Beech, Hickory, Maple, Ash, Elm
33.34	Broken 2 nd & 3 rd rate. Oak, Beech, Hickory, Maple, Ash, Elm	31.32	Same	29.30	Level, 2 nd & 3 rd rate. Oak, Beech, Hickory, Maple, Ash, Elm
32.33	Part level, part broken. 2 nd & 3 rd rate. Timber, flume	30.31	Broken 2 nd & 3 rd rate. Oak, Beech, Hickory, Maple, Ash, Elm	28.29	Level, 2 nd & 3 rd rate. Oak, Beech, Hickory, Maple, Ash, Elm
31.32	Broken 2 nd & 3 rd rate	29.30	Broken 2 nd & 3 rd rate	27.28	Level, 2 nd & 3 rd rate. Oak, Beech, Hickory, Maple, Ash, Elm
30.31	Same	28.29	Same 2 nd & 3 rd rate	26.27	Level, 2 nd & 3 rd rate. Oak, Beech, Hickory, Maple, Ash, Elm
29.30	Same 2 nd & 3 rd rate. Timber, flume	27.28	Same 2 nd & 3 rd rate	25.26	Level, 2 nd & 3 rd rate. Oak, Beech, Hickory, Maple, Ash, Elm
28.29	Broken 2 nd & 3 rd rate	26.27	Same 2 nd & 3 rd rate	24.25	Level, 2 nd & 3 rd rate. Oak, Beech, Hickory, Maple, Ash, Elm
27.28	Same	25.26	Same 2 nd & 3 rd rate	23.24	Level, 2 nd & 3 rd rate. Oak, Beech, Hickory, Maple, Ash, Elm
26.27	Broken 2 nd & 3 rd rate	24.25	Same 2 nd & 3 rd rate	22.23	Level, 2 nd & 3 rd rate. Oak, Beech, Hickory, Maple, Ash, Elm
25.26	Same	23.24	Same 2 nd & 3 rd rate	21.22	Level, 2 nd & 3 rd rate. Oak, Beech, Hickory, Maple, Ash, Elm
24.25	Broken 2 nd & 3 rd rate	22.23	Same 2 nd & 3 rd rate	20.21	Level, 2 nd & 3 rd rate. Oak, Beech, Hickory, Maple, Ash, Elm
23.24	Same	21.22	Same 2 nd & 3 rd rate	19.20	Level, 2 nd & 3 rd rate. Oak, Beech, Hickory, Maple, Ash, Elm
22.23	Broken 2 nd & 3 rd rate	20.21	Same 2 nd & 3 rd rate	18.19	Level, 2 nd & 3 rd rate. Oak, Beech, Hickory, Maple, Ash, Elm
21.22	Same	19.20	Same 2 nd & 3 rd rate	17.18	Level, 2 nd & 3 rd rate. Oak, Beech, Hickory, Maple, Ash, Elm
20.21	Broken 2 nd & 3 rd rate	18.19	Same 2 nd & 3 rd rate	16.17	Level, 2 nd & 3 rd rate. Oak, Beech, Hickory, Maple, Ash, Elm
19.20	Same	17.18	Same 2 nd & 3 rd rate	15.16	Level, 2 nd & 3 rd rate. Oak, Beech, Hickory, Maple, Ash, Elm
18.19	Broken 2 nd & 3 rd rate	16.17	Same 2 nd & 3 rd rate	14.15	Level, 2 nd & 3 rd rate. Oak, Beech, Hickory, Maple, Ash, Elm
17.18	Same	15.16	Same 2 nd & 3 rd rate	13.14	Level, 2 nd & 3 rd rate. Oak, Beech, Hickory, Maple, Ash, Elm
16.17	Broken 2 nd & 3 rd rate	14.15	Same 2 nd & 3 rd rate	12.13	Level, 2 nd & 3 rd rate. Oak, Beech, Hickory, Maple, Ash, Elm
15.16	Same	13.14	Same 2 nd & 3 rd rate	11.12	Level, 2 nd & 3 rd rate. Oak, Beech, Hickory, Maple, Ash, Elm
14.15	Broken 2 nd & 3 rd rate	12.13	Same 2 nd & 3 rd rate	10.11	Level, 2 nd & 3 rd rate. Oak, Beech, Hickory, Maple, Ash, Elm
13.14	Same	11.12	Same 2 nd & 3 rd rate	9.10	Level, 2 nd & 3 rd rate. Oak, Beech, Hickory, Maple, Ash, Elm
12.13	Broken 2 nd & 3 rd rate	10.11	Same 2 nd & 3 rd rate	8.9	Level, 2 nd & 3 rd rate. Oak, Beech, Hickory, Maple, Ash, Elm
11.12	Same	9.10	Same 2 nd & 3 rd rate	7.8	Level, 2 nd & 3 rd rate. Oak, Beech, Hickory, Maple, Ash, Elm
10.11	Broken 2 nd & 3 rd rate	8.9	Same 2 nd & 3 rd rate	6.7	Level, 2 nd & 3 rd rate. Oak, Beech, Hickory, Maple, Ash, Elm
9.10	Same	7.8	Same 2 nd & 3 rd rate	5.6	Level, 2 nd & 3 rd rate. Oak, Beech, Hickory, Maple, Ash, Elm
8.9	Broken 2 nd & 3 rd rate	6.7	Same 2 nd & 3 rd rate	4.5	Level, 2 nd & 3 rd rate. Oak, Beech, Hickory, Maple, Ash, Elm
7.8	Same	5.6	Same 2 nd & 3 rd rate	3.4	Level, 2 nd & 3 rd rate. Oak, Beech, Hickory, Maple, Ash, Elm
6.7	Broken 2 nd & 3 rd rate	4.5	Same 2 nd & 3 rd rate	2.3	Level, 2 nd & 3 rd rate. Oak, Beech, Hickory, Maple, Ash, Elm
5.6	Same	3.4	Same 2 nd & 3 rd rate	1.2	Level, 2 nd & 3 rd rate. Oak, Beech, Hickory, Maple, Ash, Elm

South Boundary B135.

April 5th 1811. From the cor. of T. 9 N. 10 N. 1 W.
 East On the South Boundary of sec. 31. T. 10 N. 10 W.
 23.00 To a Brook 10 links wide, comes N.
 40.00 Set a $\frac{1}{4}$ suppost from which
 Ash. 30 in dia. bears North 15 links dist. to,
 Buck. 14 " " " S 78 E 27 " "
 60.50 To a Brook 8 links wide, comes S. E.
 80.00 Set a post for the cor. of sec. 31 & 32 from which,
 Sugar 14 in dia. bears S 38 E 5 links dist. to,
 Buck. 13 " " " N 17 E 28 " "
 Land rich and Nelly Timber Buck. Ash & Buck.

East On the South Boundary of sec. 32. T. 10 N. 1 W.
 150 To a Brook 150 links wide, comes N. W.
 5.00 " " 10. 150 " " " S. E.
 11.00 " " 10. 150 " " " N. W.
 40.00 Set a $\frac{1}{4}$ suppost from which,
 Buck. 18 in dia. bears S 61 W. 16 links dist. to,
 10. 11 " " " S 57 E 30 " "
 80.00 Set a post for the cor. of sec. 32 & 33 from which,
 Oak 14 in dia. bears S 65 E 27 links dist. to,
 Buck. 5 " " " N 21 E 23 " "
 Land flat bottom, covered with water Timber Maple
 & Elm,

East On the South Boundary of sec. 33. T. 10 N. 1 W.
 10.00 To a Brook 6 links wide, comes S. E.
 17.00 " " 10. 10 " " " S. W.
 40.00 Set a $\frac{1}{4}$ suppost from which
 Ash 20 in dia. bears S 81 W. 16 links dist. to,
 Buck. 10 " " " S 55 E 15 " "
 80.00 Set a post for the cor. of sec. 33 & 34 from which,

South Boundary B 135.

April 5th 1811. From the cor. of T. 9 N. 10 N. 17 W.
 East On the South Boundary of sec. 31. T. 10 N. 17 W.
 23.00 To a Brook 10 links wide, corner N.
 40.00 Set a $\frac{3}{4}$ sap post from which
 Ash. 30 in dia. bears North 15 links dist. to,
 Beech. 14 " " S 48 E. 27 " "
 60.50 To a Brook 8 links wide, corner S. E.
 80.00 Set a post for the cor. of sec. 31 & 32 from which,
 Sugar. 14 in dia. bears S 38 E. 5 links dist. to,
 Beech. 13 " " N 11 E. 28 " "
 Land rich and pretty timber Beech, Ash, & Buckeye

East On the South Boundary of sec. 32. T. 10 N. 17 W.
 150 To a Brook 150 links wide, corner N. W.
 5.00 " " Do. 150 " " " S. E.
 11.00 " " Do. 150 " " " N. W.
 40.00 Set a $\frac{3}{4}$ sap post from which,
 Beech, 18 in dia. bears S 17 W. 16 links dist. to,
 Do. 11 " " " N 57 E. 30 " "
 80.00 Set a post for the cor. of sec. 32 & 33 from which,
 W Oak 14 in dia. bears S 65 E. 27 links dist. to,
 Beech. 5 " " " N 21 E. 23 " "
 Land flat bottom, covered with water timber Maple
 & Elm,

East On the South Boundary of sec. 33. T. 10 N. 17 W.
 10.00 To a Brook 6 links wide, corner S. E.
 17.00 " " Do. 10 " " " N. W.
 40.00 Set a $\frac{3}{4}$ sap post from which
 Ash 20 in dia. bears S 81 W. 16 links dist. to,
 Beech 10 " " " N 55 E. 15 " "
 80.00 Set a post for the cor. of sec. 33 & 34 from which,

	Atk. 19 in dia ^r beam N 71 E. 5 links dist; 7a. Buck 18 " " S 48 W. 19 " " Hilly Oak land as above.
East	On the South Boundary of sec. 34 T. 10 N. R. 1 W.
40.00	Set a 7 th suppost from which, Sym. 30 in dia ^r beam. N 40 E. 9 links dist; 7a. Buck. 10 " " S 49 W. 9 " "
57.00	Set a cross 150 links wide, corner NW.
65.00	" " No. 150 " " " NW.
80.00	Set a post for the cor of sec. 34 136. from which, Buck 12 in dia ^r beam. N 50 W. 34 links dist; 7a. No. 211 " " S 50 E. 28 " " Sandy flat bottom timber Buck, & long & maple
East	On the South Boundary of sec. 35 T. 10 N. R. 1 W.
8.50	Set a Brook 40 links wide, corner S.
32.50	" " Creek 150 links wide, corner NW.
38.50	" " No. 150 " " " NW.
40.00	Set a 7 th suppost from which, Sym. 16 in dia ^r beam. S 46 W. 6 links dist; 7a. Buck. 5 " " N 38 E. 19 " "
59.00	Set a post on the Boundary line of Harrison's Purchase for the cor of tract. Sec. 35. from which, Nicks 4 in dia ^r beam. N 33 E. 111 links dist; 7a. No. 200 " " S 20 W. 20 " " Sandy mts. Buck, bottom land.
	Surveyed by James Holmes Deputy Surveyor.
West	On a Random line On the South Boundary of sec. 36. T. 10 N. R. 1 W.
40.00	Set a temp ^t 7 th suppost.

80.00	Set a temp ^t post for the cor of sec. 35 136.
91.00	Set 360 links South of the cor of sec. 35 136. on Boundary line. Sandy very broken & hilly timber Nicks Oak Ash, Sugar.
East	On the line line On the South Boundary of sec. 35. T. 10 N. R. 1 W. N. 4. 15.
11.00	Set a post for the cor of sec. 35 136. from which, Buck 18 in dia ^r beam. N 38 E. 15 links dist; 7a. Nicks 9 " " S 45 W. 9 " "
East	On the line line On the South Boundary of sec. 36. T. 10 N. R. 1 W.
40.00	Set a 7 th suppost from which, Passafire 9 in dia ^r beam. S 63 E. 20 links dist; 7a. Nicks 12 " " S 50 W. 6 " "
80.00	Set a post cor of sec. 36 31 136. T. 9 N. R. 1 E. 1 W. Surveyed by William Harris, L.S.
	East Boundary N. 6. 30' 72
North	On the East Boundary of sec. 36. T. 10 N. R. 1 W.
40.00	Set a 7 th suppost from which, Sym. 30 in dia ^r beam. South 40 links dist; 7a. Nicks 7 " " S 48 W. 52 " "
11.00	Set a Brook 20 links wide corner NW.
65.00	Enter a swamp.
80.00	Set a post for the cor of sec. 35 136. from which, Maple 8 in dia ^r beam. S 44 W. 10 links dist; 7a. No. 10 " " S 22 W. 54 " " Sandy flat broken & part swamp 2 nd rate soil. May 20. 1819.
North	On the East Boundary of sec. 35 T. 10 N. R. 1 W.

5.00 Palled Swamp.
 39.00 To a creek 100 links mid, Corner N.
 40.00 Set a post from which
 by compass 18 in air line N 19 W. 32 links dist;
 80.00 Set a post further on of sec. 24 & 25 from which
 Sugar 12 in air line N 43 W. 32 links dist; to
 Buck 6 " " " N 23 E. 16 " "
 Land mostly level and wet Rather swampy

North On the East Boundary of sec. 24 T. 10 N. R. 17.
 40.00 Set a post from which
 Buck 8 in air line S 56 E. 16 links dist; to
 Bucking 12 " " " S 63 W. 2 " "
 45.00 To a Brook 10 links mid, Corner E.
 52.00 " " " " " " " " " S. E.
 60.00 " " " " " " " " " S. W.
 80.00 Set a post further on of sec. 13 & 24 from which
 Buck 12 in air line S 51 W. 12 links dist; to
 Ho. 12 " " " " " " " " " S 3 E. 6 " "
 Land part level and part rather broken
 Timber Generally Buck, some Sugar, Ash, Poplar,
 Oak & Walnut.

North On the East Boundary of sec. 13 T. 10 N. R. 17.
 20.00 To a Brook 5 links mid, Corner S. E.
 40.00 Set a post from which
 Buck 14 in air line S 38 E. 18 links dist; to
 Ho. 9 " " " " " " " " " N 79 W. 14 " "
 80.00 Set a post further on of sec. 12 & 13 T. 10 N. R. 17 from which
 " Buck 12 in air line S 35 W. 15 links dist; to
 " " " " " " " " " N 83 E. 9 " "
 The South 1/2 of this mile rather broken good 2nd rate
 soil; Timber same. A few rich lands, all muddling

Good Farming land;

North On the East Boundary of sec. 12 T. 10 N. R. 17.
 40.00 Set a post from which
 Buck 12 in air line S 8 E. 14 links dist; to
 Ho. 24 " " " " " " " " " S 71 W. 21 " "
 45.00 To a Brook 8 links mid, Corner S. W.
 80.00 Set a post further on of sec. 1 & 2 from which
 Buck 18 in air line S 4 E. 59 links dist; to
 Sugar 14 " " " " " " " " " N 19 E. 17 " "
 Land rather broken Good soil. Timber Buck, Sugar,
 Ash & Poplar, Oak, &c. Muddling good farming land.

North On the East Boundary of sec. 1 T. 10 N. R. 17.
 38.00 To a Brook 6 links mid, Corner N. W.
 40.00 Set a post from which
 Hackberry 18 in air line N 54 E. 34 links dist; to
 Walnut. 6 " " " " " " " " " S 5 E. 40 " "
 45.00 To a creek 30 links mid, Corner N.
 80.00 Set a post further on of sec. 1 & 2 T. 10 N. R. 17 from which
 from which Buck 9 in air line S 25 W. 11 links dist; to
 Ho. 12 " " " " " " " " " N 3 E. 31 " "
 Land South 1/2 very broken & hilly North 1/2 muddling
 good for farming Timber same.

North Boundary. 1.600' 15.
 Met On a Random line On the South Boundary of sec. 36.
 T. 11 N. R. 17.
 40.00 Set a trip post.
 40.00 To a Brook 30 links mid, Corner N. W.
 47.00 " " Spring Corner N. W.
 80.00 Set a trip post further on of sec. 35 & 36.
 Land rather hilly Timber same.

West On a Random line On the South Boundary of sec. 35
T. 11. N. R. 17.
40.00 Set a timber post for the ca of sec. 34 & 35.
80.00 Set a timber post for the ca of sec. 34 & 35.
Sands broken & stilly. Timber Oak, Buck & Poplar,
Very bushy.

West On a Random line On the South Boundary of sec. 34
T. 11. N. R. 17.
40.00 Set a timber post for the ca of sec. 34 & 35.
79.50 To a lake 30 miles mid, Course N.W.
80.00 Set a timber post for the ca of sec. 33 & 34.
Sands level and 2nd rate; Timber Oak, Buck, Ash
Middleling good for farming.

West On a Random line On the South 23rd of sec. 33.
T. 11. N. R. 17. Friday May 21. 1819.
40.00 Set a timber post for the ca of sec. 32 & 33.
80.00 " " " post for the ca of sec. 32 & 33.
Sands very broken & stilly good soil. Timber
Same.

West On a Random line On the South 13th of the sec.
32. T. 11. N. R. 17.
38.00 To a Brook 5 miles mid, Course S.
40.00 Set a timber post for the ca of sec. 32 & 33.
78.00 To a Brook 8 miles mid, Course S.
80.00 Set a timber post for the ca of sec. 32 & 33.
Sands rolling rich and good for
farming Timber same

West On a Random line On the South Boundary
of sec. 31. T. 11. N. R. 17.

22.80 To a Brook 12 miles mid, Course S.
40.00 Set a timber post for the ca of sec. 32 & 33.
67.50 Set a timber post for the ca of sec. 32 & 33.
10411. N. R. 172nd Mer.

East On the true line On the South 23rd of sec. 31. P. 15
T. 11. N. R. 17.
27.50 Set the timber post for the ca of sec. 32 & 33.
11 Oak 12 in dia. bears S 44 W. 22 miles dist. S.
Do. 30 " " " N 57 E. 27 " "
37.08 To a Brook 8 miles mid, Course S.W.
67.50 Set the timber post for the ca of sec. 32 & 33.
31 133 from which
11 Oak 30 in dia. bears S 48 E. 5 miles dist. S.
Poplar 12 " " " N 53 W. 25 " "

East On the true line On the South Boundary of sec. 32.
T. 11. N. R. 17.
40.00 Set the timber post for the ca of sec. 32 & 33.
Buck 24 in dia. bears S 13 E. 40 miles dist. S.
Do 30 " " " N 76 W. 32 " "
80.00 Set the timber post for the ca of sec. 32 & 33.
Hick 18 in dia. bears N 70 E. 36 miles dist. S.
11 Oak 27 " " " S 77 W. 33 " "

East On the true line On the South Boundary of sec. 33.
T. 11. N. R. 17.
40.00 Set the timber post for the ca of sec. 32 & 33.
Buck 12 in dia. bears N 71 E. 9 miles dist. S.
Hick 18 " " " S 15 E. 18 " "
80.00 Set the timber post for the ca of sec. 32 & 33.
33 & 34 from which
Hick 11 in dia. bears S 71 E. 16 miles dist. S.

	Blackberry 27 in diam. bears S60 W 33 links dist.
East	On the true line On the South Boundary of sec. 34 T. 11. N. R. 17 W.
40.00	Set the temp. 7th sup. post at the true line from which Dogwood 9 in diam. bears N42 W. 5 links dist. S60 W Oak 30 " " " S64 E " " "
80.00	Set the temp. 1st post on the true line for the cor. of sec. 34 & 35 from which Beech 18 in diam. bears West 39 links dist; to Oak 18 " " " N62 E 36 " "
East	On the true line On the South Boundary of sec. 35 T. 11. N. R. 17 W.
40.00	Set the temp. 7th sup. post on the true line from which Blackberry 8 in diam. bears S11 W 31 links dist; to Oak 11 " " " N16 W " " "
80.00	Set a post for the cor. of sec. 35 & 36 on the true line from which, Blackberry 9 in diam. bears N39 E 13 links dist. and a Beech 34 " " " S35 W 27 " "
East	On the true line On the South Boundary of sec. 36 T. 11. N. R. 17 W.
40.00	Set the temp. 7th sup. post on the true line from which Blackberry 18 in diam. bears S34 W 15 links dist. to Oak 24 " " " N64 E 30 " "
80.00	Set the post cor. of sec. 36 & 37 T. 10 N. R. 16 W. 2nd Meridian. Ind.
Surveyed by William Harris L.S.	

West Boundary.
North On the East Boundary of sec. 36 T. 10 N. R. 2 W.

B 134

15.50	To a Brook 20 links mid, corner N. E.
32.00	To a Hickory 16 in diam. in the line.
39.00	" " " " " " " " " " " "
40.00	Set a 7th sup. post from which Oak 13 in diam. bears S60 W 22 links dist; to Beech 15 " " " N47 W 23 " " "
73.00	To a Brook 12 links mid, corner E.
80.00	Set a post for the cor. of sec. 35 & 36 from which Oak 9 in diam. bears S30 W 18 links dist; to Dogwood 4 " " " S64 E 16 " " "
Land hilly and wet; timber Oak, Walnut, Beech.	
North	On the East Boundary of sec. 35 T. 10 N. R. 2 W.
16.00	To cor. Oak 18 in diam. stands in the line.
40.00	Set a 7th sup. post from which Beech 10 in diam. bears S11 W 12 links dist; to Oak 40 " " " N31 E 44 " " "
55.00	To a Brook 150 links mid, corner S. W.
80.00	Set a post for the cor. of sec. 24 & 25 from which Oak 15 in diam. bears S45 E 10 links dist; to Maple 8 " " " N75 W 15 " " "
Land flat & mid. corner. 2nd 7th mid. not bottom. Land. Timber Maple.	
North	On E. boundary of Sec. 24, T. 10 N. R. 2 W.
40.00	Set 7th Sec. post, from which a Maple 17 in diam. bears S45 W 12 links dist. of a B. Oak 5 " " " N38 E 7 " " "
80.00	Set post cor. to Sec. 24 & 25, T. 10 N. R. 2 W. from which a Black Beech 4 in diam. bears S54 W 8 links dist. of a Beech 18 " " " N13 E 29 " " "
First half wet bottom - the 2nd hilly good soil timber Beech Oak &c October 4. 1815	

North On E. boundary of Sec. 13, T. 10. N. R. 2 W
 20.50 a Creek 45 lks. wide Course S. W.
 37.60 Intersected the N. boundary of Harrison's purchase
 Set post from which
 a Beech 13 in. diam. beam N 39 E 10 lks. dist. to
 a Loc. 16 " " " S 74 W 29 " "
 Surveyed by Alexander Holmes, Dep't. Sur.
 in 1811

North On the East Boundary of Sec. 13, T. 10. N. R. 2 W
 2.40 Set a post from which
 W Oak 14 in diam beam S 39 W. 2 miles dist. to
 Beech 8 " " " N 28 E. 30 " "
 42.40 Set a post for the cor of sec. 12 & 13. from which
 Sycamore. 18 in diam beam. S 10 E. 22 lks dist. to
 Sugar. 10 " " " N 84 W 30 " "
 Land hilly and middling good for farming
 Timber Beech, Sugar & Oak. Hick &c.

North On the East Boundary of Sec. 12, T. 10. N. R. 2 W.
 40.00 Set a post from which
 Beech 18 in diam beam. N 44 E. 17 lks dist. to
 Loc. 24 " " " S 28 W 33 " "
 80.00 Set a post for the cor of Sec. 1 & 12 from which
 Beech 13 in diam beam. S 48 W. 27 lks dist. to
 Loc. 5 " " " N 47 W. 20 " "
 Land & timber same as last mile.

North On the East Boundary of Sec. 1, T. 10. N. R. 2 W.
 22.00 To a small Brook.

40.00 Set a post from which
 Beech 9 in diam beam. S 72 E 26 lks dist. to
 Loc. 9 " " " N 79 W. 50 " "
 72.00 To a Brook 20 lks wide, Course N. W.
 77.50 Intersected the Random line.
 80.00 Set a temporary post for the cor of sec. 16 & 136. T.
 10 N. R. 1 & 2 W.
 Land hilly and middling good for farming
 84.87 To the post cor of sec. 16 & 136.

Surveyed by
 William Harris
 Dep't Sur.

Subdivisions

North Between Sec. 35 & 36, T. 10. N. R. 1 W.
 13.00 To a Brook 75 lks wide, Course S. E. W.
 20.15 " the same stream Course. S. E. A Beech
 on the Banks of the stream 14 in diam in the line.
 The line takes the stream.
 25.00 Left the stream & entered the windfall
 40.00 Set a post from which
 Beech 3 in diam beam N 43 W 11 lks dist. to
 Loc. 18 " " " S 63 E 7 " "
 Left the windfall
 61.12 To a Poplar 36 in diam stands in the line
 80.00 Set a post for the cor of sec. 25, 26, 35 & 36 from which
 Beech 3 in diam beam N 55 W 5 lks dist. to
 Loc. 14 " " " S 61 E. 25 " "
 Land part level and part broken; Level 2nd rate
 Broken 3rd rate; Timber Beech, W Oak, Poplar,
 Sugar, Hick &c. W. Spruce, Dogwood, White Birch.

East Between Sec. 25 & 36, T. 10. N. R. 1 W.

T. N. 10. R. N. 17th 2nd Mer. Ind.

- 19.88 To a Buck 17 in dia^r in the line.
 40.00 Set a 2nd post from which,
 Hogmoss 11 in dia^r bears S 27° E 11 links dist; to
 Buck. 18 " " " N 18° W 16 " "
 55.00 To a Buck 7 1/2 links mid. Course N. S. W.
 60.00 To a Buck 14 in dia^r stands in the line.
 75.40 Enter a Post;
 78.74 Intersect the East Boundary or 2nd Principal
 Meridian 250 links North of the post cor. of sec
 25 & 36. in a spread; & set a post for the cor. of sec
 25 & 36 from which, to
 Oak 14 in dia^r bears S 27° W 32 links dist; to
 Water Oak 3 " " " N 85° W 14 " "
 Lande part land and part broken 2nd & 3rd rate;
 Timber Buck, Elm, Maple, Wash, Oak, &c. W.
 Spruce Birch Ash maple Maple &c.

- North Return Sec 25 & 36 T. 10. R. 17.
 15.65 To a Buck 19 in dia^r in the line.
 40.00 Set a 2nd post from which,
 Buck 15 in dia^r bears N 19° W 28 links dist; to,
 W. 16 " " " S 81° E 29 " "
 55.66 To a Hickory 17 in dia^r in the line.
 80.00 Set a post for the cor. of sec 23, 24, 25 & 26 from which,
 W Oak 23 in dia^r bears S 51° W 5 links dist; to,
 Buck. 16 " " " N 49° E 26 " "
 Lande broken & 3rd rate; Timber W Oak, B Oak, Buck
 Hickory &c. W. Spruce, Dogwood, Galtapine &c.

- East Return the 24 & 25 T. 10. R. 17.
 20.48 To a B Oak 22 in dia^r in the line.
 40.00 Set a 2nd post from which,
 Buck. 18 in dia^r bears N 55° E 13 links dist; to,

T. N. 10. R. N. 17th 2nd Mer. Ind.

- Buck 13 in dia^r bears S 49° E 16 links dist;
 58.90 To a Buck 19 in dia^r in the line.
 79.00 Intersect the East Boundary or 2nd Mer. 241 links
 N. of the post cor. of sec 24 & 25, and set a post for the
 cor. of sec 24 & 25 from which,
 Hogmoss 11 in dia^r bears S 31° E 17 links dist; to
 Buck. 5 " " " N 63° W 11 " "
 Lande part land & part broken 2nd & 3rd rate. Timber
 W Oak B Oak, Buck, Hickory, Oak, &c. W. Spruce
 Dogwood, Hickory Birch &c. Dec^r 13th 1819.

- North Return Sec 23 & 24 T. 10. R. 17.
 19.78 To a Hickory 15 in dia^r in the line.
 40.00 Set a 2nd post from which,
 Buck 5 in dia^r bears N 35° E 9 links dist; to,
 Hogmoss 6 " " " S 21° W 13 " "
 61.10 To a Hickory 14 in dia^r stands in the line.
 80.00 Set a post for the cor. of sec 13, 14, 23 & 24 from which,
 W Oak 22 in dia^r bears N 76° W 16 links dist; to,
 W Elm 23 " " " N 45° E 17 " "
 Lande broken & 3rd rate; Timber W Oak, B Oak, Hickory
 Chestnut Oak, Buck &c. W. Spruce, Hickory, Juniper
 Birch &c.

- East Return Sec 13 & 24 T. 10. R. 17.
 17.78 To a Hickory 23 in dia^r stands in the line.
 40.00 Set a 2nd post from which,
 W Oak 24 in dia^r bears N 68° W 14 links dist; to,
 Buck. 16 " " " N 33° E 27 " "
 54.85 To a Buck 24 in dia^r in the line.
 78.55 Intersect the E. Boundary or 2nd Principal Meridian.
 200 links North of the post cor. of sec 13 & 24 & set
 a post for the cor. of sec 13 & 24 from which,

I. N. 10 N. R. N. 177 Dnd M^{rs}. Ind.

Week 17 in deer house N 67 W. 21 links east; to,
 Poplar 33, " " N 60 W. 16 " "
 Lands broken, 13rd rate; Limbu Bush, W. Oak, 73.
 Oak, Hick, Vc. W. Spine, Ash, Spruce, Juniper,
 Birch &c.

North Return the 13th 1774 I. N. 10 N. R. 177.

18.20 To a Poplar 36 in dia^r stands in the me.

40.00 Set a post from which,

Bush 6 in dia^r house N 61 E. 8 links east; to,

Ho. 18, " " S 67 W. 25 " "

62.00 To a Bush 18 in dia^r in the me.

80.00 Set a post for the corner of 11, 12, 13th 1774 from which,

Bush 18 in dia^r house N 35 W. 15 links east; to,

Ho. 4 " " S 27 E. 23 " "

From a Borneo 2nd 43rd rate; Limbu W. Oak, 73

Oak, Bush, Poplar, Hick, Vc. W. Spine, Ash, Spruce, Juniper, Birch &c.

East Return the 12th 1773 I. N. 10 N. R. 177.

23.50 To a Sugar 14 in dia^r in the me.

40.00 Set a post from which,

Bush 15 in dia^r house N 15 E. 20 links east; to,

Ho. 14, " " S 37 W. 25 " "

57.50 To a Sugar 15 in dia^r in the me.

77.11 Intersect the East 12th or 2nd p^r M^{rs}. 166 the N.

of the post corner of 12, 13, 14 set a post for the corner

of 12th 1773 from which,

Sugar 15 in dia^r house N 16 W. 18 links east; to,

Bush 3 " " N 60 W. 27 " "

Lands broken 12th rate; Limbu Bush, Sugar, W. Oak,

Hick, Vc. W. Spine, &c.

December 14 1819

I. N. 10 N. R. N. 177 Dnd M^{rs}. Ind.

North Return the 11th 1774 I. N. 10 N. R. 177.

26.00 To a Bush 17 in dia^r in the me.

40.00 Set a post from which,

Sugar 16 in dia^r house N 67 W. 31 links east; to,

Ho. 17, " " S 60 E. 16 " "

59.64 To a Poplar 18 in dia^r in the me.

67.10 " " Bush 10 in dia^r in the me. corner W. N. W.

80.00 Set a post for the corner of 12, 11, 12 from which,

Bush 18 in dia^r house N 45 W. 5 links east; to,

Maple 19 " " N 71 E. 7 " "

Lands broken 12th rate; Limbu Bush, Sugar, W. Oak, 73

Oak, Poplar, Vc. W. Spine, Ash, Spruce, Juniper, Birch &c.

East Return the 11th 1774 I. N. 10 N. R. 177.

18.10 To a W. Oak 18 in dia^r in the me.

40.00 Set a post from which,

Bush 3 in dia^r house N 38 E. 15 links east; to,

W. Oak 42, " " S 37 W. 9 " "

58.11 To a Hick 16 in dia^r stands in the me.

77.96 Intersect the 2nd p^r M^{rs}. or East 12th 1774 143 links North

of the post corner of 12, 11, 12 and set a post for the corner

of 12th 1774 from which,

Bush 14 in dia^r house N 25 E. 7 links east; to,

Logwood 21 " " S 11 W. 10 " "

Lands broken 12th rate; Limbu 23 W. Oak, Bush, Hick,

Oak, Vc. W. Spine, Ash, Spruce, Juniper, Birch &c.

North Return the 11th 1774 I. N. 10 N. R. 177.

22.15 To a Hick 17 in dia^r in the me.

40.00 Set a post from which,

Bush 10 in dia^r house N 78 W. 11 links east; to,

Bush 6 " " N 37 E. 12 " "

61.56 To a W. Oak 19 in dia^r in the me.

J. A. 10. N. R. N. 177 2nd M. S. S.

Beck 17 in dirt from S 62 W. 21 miles dist. to,
 Poplar 33, " " N 60 W. 16 " "
 Land broken 13rd rate; Timber Buck, W Oak, 73
 Oak, Hick, V. W. The Daffs Ash Spruce, Amaranth
 Birch &c.

North Return the 13th 1774 J. A. 10. N. R. 177.
 18.22 To a Poplar 36 in dirt stands in the m.
 40.00 Set a post from which,
 Beck 6 in dirt from N 61 E. 8 miles dist. to,
 Ho. 18, " " S 67 W. 25 " "
 62.00 To a Beck 18 in dirt in the m.
 80.00 Set a post for the cor of sec. 11, 12, 13th 1774 from which,
 Beck 18 in dirt from N 35 W. 15 miles dist. to,
 Ho. 4 " " S 27 E. 23 " "
 From a Beck 2nd 13rd rate; Timber W Oak, 73
 Oak, Beck, Poplar, Hick, V. W. Hick, Spruce, Ash

East Return the 12th 1773 J. A. 10. N. R. 177.
 23.76 To a Sugar 14 in dirt in the m.
 40.00 Set a post from which,
 Beck 15 in dirt from N 15 E. 20 miles dist. to,
 Ho. 14, " " S 33 W. 25 " "
 47.88 To a Sugar 15 in dirt in the m.
 71.11 Intersect the East 13th or 2nd p. M. S. 166 the N.
 of the post cor of sec. 12 & 13 & set a post for the cor
 of sec. 12 & 13 from which,
 Sugar 17 in dirt from N 46 W. 18 miles dist. to,
 Beck 3 " " N 60 W. 27 " "
 Land broken 12th rate; Timber Beck, Sugar, Oak,
 Hick, Ash, V. W. Spruce, &c.
 December 14. 1819

J. A. 10. N. R. N. 177 2nd M. S. S.

Path Return the 11th 1774 J. A. 10. N. R. 177.
 26.00 To a Beck 17 in dirt in the m.
 40.00 Set a post from which,
 Sugar 16 in dirt from N 67 W. 31 miles dist. to,
 Ho. 17, " " S 60 E. 16 " "
 59.64 To a Poplar 18 in dirt in the m.
 67.10 " Beck 10 in dirt from course W. N. W.
 80.00 Set a post for the cor of sec. 1, 2, 11, 12 from which,
 Beck 18 in dirt from S 45 W. 5 miles dist. to,
 Maple 19 " " N 71 E. 7 " "
 Land broken 12th rate; Timber Beck, Sugar, Oak, 8
 Ash, Poplar, V. W. Spruce, Sassafras, Hick, Maple V.

East Return the 11th 1774 J. A. 10. N. R. 177.
 18.10 To a W Oak 18 in dirt in the m.
 40.00 Set a post from which,
 Beck 3 in dirt from N 38 E. 15 miles dist. to,
 W Oak 42, " " S 27 W. 9 " "
 58.11 To a Hick 16 in dirt stands in the m.
 77.96 Intersect the 2nd p. M. S. or East 13th 1774 3 miles South
 of the post cor of sec. 1719 and set a post for the cor
 of sec. 1719 from which,
 Beck 14 in dirt from N 25 E. 7 miles dist. to,
 Sugar 14 " " S 21 W. 10 " "
 Land broken 13rd rate; Timber 23 8 W Oak, Beck, Hick,
 Ash, V. W. Sugar, Amaranth, Spruce, &c.

North Return the 17th 1774 J. A. 10. N. R. 177.
 22.45 To a Hick 17 in dirt in the m.
 40.00 Set a post from which,
 Beck 10 in dirt from S 78 W. 11 miles dist. to,
 Beck 6 " " N 37 E. 12 " "
 61.56 To a W Oak 19 in dirt in the m.

T. N. 10. R. N. 17 2nd Mer. Ind.

77.31 Enter out the N. Boundary 24 1/2 miles East of the post
 cor of sec 35 & 36 T. 11. N. R. 17 and set apart from
 " " " 11 1/2 from white,
 Buck 8 in dist from S 30 W. 17 miles east; to
 Hagerman 11 " " S 63 E 20 " " "
 Sande taken 13. rate Timber W. Oak, Hickory
 Buck, & 117 Sassafras 119 & 120 not Hickory
 & 130 Birch. Loc. 15, 18, 19.

North Between Sec 34 & 35 T. 10. N. R. 17
 24.00 To a Birch 15 miles mid, corner S. E.
 40.00 Set a 70 support from white,
 Buck 6 in dist from S 30 W. 12 miles east; to
 Loc. 8 " " " N 24 E 13 " "
 113.90 Enter out the N. Boundary line of Harrison's Purchase
 Mark 21 in dist from S 28 W. 19 miles east; to,
 Hickory 14 " " " N 20 W 13 " "
 Sand well and not very good
 43.90 Originally surveyed by the N. E. Boundary of Harrison's
 Purchase Line Extension
 63.28 To a Spr. Oak, 30 in dist in the line
 66.90 To a Birch 12 miles mid, corner S. E.
 70.00 " " " 16 " " " S. E.
 80.00 Set apart for the cor of sec 26, 27, 34 & 35 from white,
 Buck 16 in dist from N 85 W. 17 miles east; to,
 Loc. 14 " " " N 86 E 11 " "
 Sand well & 2nd rate; Timber ash, Walnut, Sugar,
 & Buck & 119 Spruce.

West On a Random line between Sec 26 & 35 T. 10. N. R. 17
 26.31 To a Birch 10 miles mid, corner S. W.
 40.00 Set a support 70 support
 70.58 Enter out the N. B. line 12 miles North of the post

T. N. 10. R. N. 17 2nd Mer. Ind.

cor of sec 26, 27, 34 & 35. Sande part well and part
 broken. 2nd & 3rd rate Timber Buck, W. Oak, Poplar,
 Ash, Hickory Sugar, & 119 Spruce, Hagerman Ash, Iron
 woods, Birch &c.

East On the line line between Sec 26 & 35 T. 10. N. R. 17.
 17.64 To a Buck 18 in dist stands in the line
 25.29 Set the support 70 support at the cor dist in the line from
 white, Buck 15 in dist from N 72 E 11 miles mid,
 corner Loc. 18 " " " N 4 E 22 " "
 46.14 To a Poplar 36 in dist stands in the line
 70.58 To the post cor of sec 25, 26, 35 & 36.

North Between Sec 26 & 27 T. 10. N. R. 17.
 1.80 To a Birch 15 miles mid, corner N. W.
 5.15 " " Loc. 15 " " " S. E.
 17.62 " " Loc. 15 " " " S. W.
 19.32 To a Buck 16 in dist in the line
 28.50 To the same stream 15 miles mid, corner S. E.
 40.00 Set a 70 support from white,
 Buck 11 in dist from N 14 W. 19 miles east; to,
 Loc. 33 " " " S 6 E 18 " "
 56.62 To a W. Oak, 20 in dist stands in the line
 80.00 Set apart for the cor of sec 22, 23, 26 & 27 from white,
 Buck 17 in dist from N 21 W. 29 miles east; to,
 W. Oak 28 " " " S 6 E 5 " "
 Sande 1st & 2nd rate; 2nd & 3rd rate land; Timber Buck, Ash, Oak, Hickory, &c.
 119 Spruce, Ash, Ironwood, Sassafras, Birch &c.

West On a Random line between Sec 23 & 26 T. 10. N. R. 17
 40.00 Set a support 70 support
 46.20 To a Birch 10 miles mid, corner S. W.

T. N. 10. N. R. No 1 W. 2nd Mer. Ind.

70.65 Intersect the N. 13 line 18 miles South of the first cor.
of sec. 22, 23, 26 & 27.
Sunde broken 2nd & 3rd rate; Timber W Oak, Y Oak, &
Buck, Hickory, & W. Hickory Oak, Sassafras
Summers, Blackberry & Brins &c.

East On the line between Sec. 23 & 26. T. 10. N. R. 1 W.
16.43 To a maple. 14 in diam in the line.
35.39 Set the timber post at the ar. dist on the line from
from which, W Oak 23 in diam bears N 6 E 11 links east;
under Do. 16 " " S 80 E 26 " "
50.24 To a W Oak 16 in diam in the line.
70.65 To the post cor of sec. 23, 24, 25 & 26.

North Return Sec 23 & 26. T. 10. N. R. 1 W.
19.78 To a W Oak 28 in diam in the line.
40.00 Set a post from which,
Buck 23 in diam bears N 74 E 19 links east, &
Sugar. 8 " " S 46 W 18 " "
34.58 To a Poplar 18 in diam stands in the line.
50.00 Set a post for the cor of sec. 14, 15, 22 & 23 from which,
W Oak 15 in diam bears N 77 W 17 links east, &
Buck 8 " " N 68 E 13 " "
Sunde broken 2nd & 3rd rate; Timber Buck, W. B. & Sp
Oak, Hickory, W. Hickory, Summers & Brins &c.

West On a random line between Sec. 14 & 23. T. 10. N. R. 1 W.
11.35 To a Buck 8 links wide, course S. W.
40.00 Set a timber post.
70.70 Intersect the N. 13 line 43 miles South of the first cor of
Sec. 14, 15, 22 & 23. Sunde broken 2nd & 3rd rate; Timber
W Oak, Y Oak, Hickory Buck, & W. Hickory, Sassafras,
Logwood Oak & Brins &c.

T. N. 10. N. R. No 1 W. 2nd Mer. Ind.

East On the line between Sec. 14 & 23. T. 10. N. R. 1 W.
22.25 To a Hickory 18 in diam in the line.
35.35 Set the timber post at the ar. dist on the line from
which, Buck 14 in diam bears N 36 E 19 links east;
Do. 15 " " S 39 W 11 " "
56.47 To a Hickory 18 in diam in the line.
70.70 To the post cor of sec. 13, 14, 23 & 24.

North Return Sec 14 & 23. T. 10. N. R. 1 W.
20.00 To a W Oak. 36 in diam stands in the line.
40.00 Set a post from which,
Buck 14 in diam bears N 83 W 58 links east, &
Do. 8 " " S 65 E 27 " "
59.50 To a Buck. 18 in diam in the line.
80.00 Set a post for the cor of sec. 10, 11, 14 & 15 from which,
Buck 5 in diam bears N 36 W 5 links east, &
Do. 4 " " S 41 W 19 " "
Sunde broken 2nd & 3rd rate; Timber Buck, Sugar, &
Poplar, W Oak, Ash, Hickory, & W. Hickory, Sassafras,
Dec. 10. 1819.

West On a random line between Sec. 11 & 14. T. 10. N. R. 1 W.
40.00 Set a timber post.
70.84 Intersect the N. 13 line 58 miles South of the first cor.
of sec. 10, 11, 14 & 15. Sunde broken 2nd & 3rd rate.
Timber Sugar, Ash, W Oak, Buck, Hickory,
W. Hickory, Ash, Sassafras, Summers, &c.

East On the line between Sec. 11 & 14. T. 10. N. R. 1 W.
17.60 To a Poplar 19 in diam in the line.
35.40 Set the timber post at the ar. dist on the line from
which, Buck 26 in diam bears N 51 W 19 links east;
under Do. 28 " " S 63 E 28 " "

T. N. 10. N. R. N. 17. 2nd. N. W. Ind.

- 50.40 To an Oak 17 in diam in the line.
 70.14 To the post on of sec. 11. 12. 13 & 14.
 North Between Sec. 10 & 11. T. 10. N. R. 17.
 20.87 To a Sp. Oak. 32 in diam stands in the line.
 40.00 Set a 74 support from which,
 Buck 12 in diam beam. N 42 E. 10 mts east, to
 Hick 14 " " " S 24 E. 17 " "
 71.64 To a Dogwood 5 in diam in the line.
 80.00 Set a post for the corner of sec. 2, 3, 10 & 11 from which,
 Buck 16 in diam beam. N 68 W. 16 mts dist, to,
 Ho. 6 " " " N 83 E. 26 " "
 Land broken V. 3. rate; Timber Buck, W Oak, Black
 Hick 7 ft. 11 ft Dogwood, Ironwood, Spruce, White Birch

- West On a Random line between Sec. 2 & 11. T. 10. N. R. 17.
 19.58 To a Birch 10 mts mid. Course NW
 40.00 Set a temporary support.
 70.62 Intersect the West Boundary of N 13 line 78 mts S.
 of the post on of sec. 2, 3, 10 & 11.
 Land broken V. 3. rate; Timber Buck, W Oak, Black
 Hick 7 ft. 11 ft. Sassafras Oak, Hick 7 Ironwood,
 White Birch.

- East On the line line between Sec. 2 & 11. T. 10. N. R. 17.
 11.70 To a Hick 14 in diam in the line.
 35.31 Set the temporary support at the ar. dist on the line from
 which, W Oak 24 in diam beam. N 78 E. 17 mts east
 and a R Oak 34 " " " S 77 E. " "
 46.16 To a Birch. 16 in diam stands in the line.
 70.62 To the post on of sec. 1, 2, 11 & 12.

- North Between Sec. 2 & 3. T. 10. N. R. 17.

T. N. 10. N. R. N. 17. 2nd. N. W. Ind.

- 19.48 To a W Oak 16 in diam in the line.
 40.00 Set a 74 support from which,
 Buck 18 in diam beam. S 33 W. 8 mts east, to,
 Ho. 14 " " " N 76 E. 24 " "
 43.58 To a Birch 10 mts mid. Course NW. 77.
 61.28 To a Sugar. 14 in diam in the line.
 78.18 Intersect the N. Boundary of 1321 mts East of the post on
 of sec. 34 & 35 T. 11. N. R. 17 and set a post for the corner
 " 213 from which a
 W Oak 4 in diam beam. S 1 E. 14 mts dist, to,
 Buck 7 " " " N 85 W. 15 " "
 Land part line of 2nd rate; Spent broken V. 3. rate;
 Timber W Oak, Buck, Hick, Oak, Sugar, &
 77. Hick, Dogwood, Ironwood, Spruce, Birch, Elm 11. 1817

- October 1815.
 North Between Sec. 33 & 34 T. 10. N. R. 17.
 40.00 Set a 74 support from which,
 W Oak 24 in diam beam. S 56 W. 31 mts east, to,
 Hick 5 " " " " 58 E. 19 " "
 80.00 Set a post for the corner of sec. 27 & 33 & 34 from which,
 Buck 6 in diam beam. N. 64 W. 2 mts east, to,
 Ho. 24 " " " S 9 E. 12 " "
 Land hilly and middling soil. Timber Oak, Buck,
 Poplar, Ash, Timber

- East Between Sec. 27 & 34. T. 10. N. R. 17.
 30.83 Intersect the N. Boundary of Harris's Purchase and
 set a post for the corner of sec. 27 & 34 from which,
 Elm 15 in diam beam. S 30 E. 2 mts east, to,
 Sugar 15 " " " N 53 W. 35 " "
 Land as the same.
 West Between Sec. 27 & 34. T. 10. N. R. 17. on Random

T. N. 10. N. R. No. 172nd Mer. Ind.

4.32 To at Brook 15 km mds. Corner S.E.
 10.14 " " " " " " S.E.
 10.00 Set a trap for a post.
 19.81 A. Point 30 km North of the post on the Old B.V.
 Land of post work 2nd rate; on depart broken 3rd rate
 Timber Birch, Hick, Ash, Oak, &c. Wg. Spruce, &
 Hemlock, Dogwood, Ash &c.

East On the line between Sec 27 & 34 T. 10. N. R. 17.
 20.63 Originally Surr. to Old B.V. line extended
 40.32 Set the trap for a post at the ar. dist. on the line
 from which, and measured 5 in dist. from A 32 E 9 the dist.
 and also Dogwood 5 " " " " A 32 W 13 " "
 62.13 To a Locust 18 in dia. in the line.
 80.64 To the cor. of sec. 26, 27, 34 & 35.

North Return Sec 27 1928 T. 10. N. R. 17.
 22.54 Enter at the B.V. line of Harris on Purchase
 and set a post for the cor. of sec. 27 1928 from which,
 Birch 9 in dia. from A 34 W 4 km dist. to,
 Sugar 10 " " " " A 34 W 25 " "
 Land & timber mixed line. Soil.
 North Return Sec 27 1928 T. 10. N. R. 17.
 22.54 Originally Surr. to the N.E. B.V. line of Harris on
 Purchase. Line extended
 40.00 Set a trap for a post from which,
 Birch 11 in dia. from A 37 E 5 km dist. to,
 Loc. 14 " " " " A 37 W 16 " "
 63.11 To a H. Birch 18 in dia. in the line.
 81.00 Set a post for the cor. of sec. 21, 22, 27 & 28 from which,
 W Oak 16 in dia. from A 38 W 8 km dist. to,
 Loc. 14 " " " " A 38 E 19 " "
 Land broken 3rd rate; Timber W Oak, Birch, Hick,

T. N. 10. N. R. No. 172nd Mer. Ind.

Wg. Sugar Pine &c.

West On a Random line between Sec 22 & 27 T. 10. N. R. 17.
 40.00 Set a trap for a post.
 80.50 Enter at the West B.V. line 20 km North of the post on
 Sec 21, 22 & 27 1928. Land 3rd rate; Timber W Oak, Birch,
 Birch, Hick &c. Wg. Hemlock, Birch &c.

East On a line between Sec 22 & 27 T. 10. N. R. 17.
 12.00 To a Hick 16 in dia. in the line.
 40.26 Set the trap for a post at the ar. dist. on the line from
 which, Hick 18 in dia. from A 85 W 9 km dist. to,
 Maple 11 " " " " S.E. 22 " "
 58.54 To a Hackberry 19 in dia. in the line.
 80.50 To the post cor. of sec. 22, 23, 26 & 27.

North Return Sec 21 1928 T. 10. N. R. 17.
 22.09 To a Sugar 19 in dia. from the line.
 40.00 Set a trap for a post from which,
 Birch 13 in dia. from A 34 E 21 km dist. to,
 Loc. 6 " " " " A 34 W 25 " "
 67.50 To a W Oak 18 in dia. in the line.
 80.00 Set a post for the cor. of sec. 15, 16, 21 & 22 from which,
 Dogwood 8 in dia. from A 88 W 8 km dist. to,
 Loc. 5 " " " " A 16 E 17 " "
 Land broken 3rd & 3rd rate; Timber W Oak, Birch, & Birch,
 Hick, Sugar, &c. Wg. Spruce, Maple, & Hick &c.

West On a Random line between Sec 15 & 22 T. 10. N. R. 17.
 40.00 Set a trap for a post.
 80.40 Enter at the A 15 line 23 km North of the post cor. of
 Sec 15, 16, 21 & 22 Land broken 3rd rate; Timber W Oak,
 W Oak, Birch, Hick &c. Dogwood and Wg. &c.

T. No 10 NR. No 177 Dnd Mm. Ind.

East On the line between Sec 15 & 22 T. 10 NR 17.
 21.76 To a Walnut 18 in diam in the line.
 40.21 Set the trip to support at the ar. dist. in the line from which, Bech. 16 in diam. beam. 133 M. 13 links dist. and a Sugar 16 " " " 110 E. 15 " "
 69.17 To a M Oak 22 in diam. stands in the line.
 71.42 To the corner 14.15, 22 & 23.

North Return Sec 15 & 16 T. 10 NR 17.
 25.46 To a Bech. 18 in diam in the line.
 40.00 Set a post for support from which, Sugar 12 in diam. beam. 156 E. 14 links dist. to, H. 4 " " " 170 M. 25 " "
 66.31 To a Bech. 19 in diam. stands in the line.
 85.00 Set a post for the corner 9.10 15 & 16 from which, Bech. 26 in diam. beam. 132 E. 13 links dist. to, H. 7 " " " 184 M. 27 " "
 Sanderson 13.0 rate; Timber Bech, W B Oak, Hick, H. W. Sassafras Iron & Log wood Brins. V.

West On a Random line between Sec 10 & 15 T. 10 NR 17.
 40.00 Set a trip to support.
 81.45 Intersut the N. & S. line. 42 links North of the post corner of Sec. 9.10 15 & 16. Sanderson 13.0 rate; Timber Hick, Bech, Sugar, W Oak, B Oak, Poplar Ash, H.

East On the line between Sec. 10 & 15 T. 10 NR 17.
 17.00 To a Bech. 18 in diam in the line.
 40.24 Set the trip to support at the ar. dist. in the line from which, Logwood 4 in diam beam 146 M. 28 links dist. and a Bech. 5 " " " beam 145 E. 25 " "
 56.43 To a Sugar 16 in diam in the line.

T. No 10 NR. No 177 Dnd Mm. Ind.

80.48 To the post corner of Sec. 9.10 14 & 15.

North Return Sec 9 & 10 T. 10 NR 17.
 16.25 To a M Oak 14 in diam. stands in the line.
 40.00 Set a post for support from which, Hick 16 in diam beam. 126 M. 18 links dist. to, Bech 19 " " " 136 E. 28 " "
 64.28 To a Bech. 18 in diam in the line.
 80.00 Set a post for the corner 3.4.9 & 10 from which, Log wood 4 in diam beam. 123 M. 5 links dist. to, H. 6 " " " 141 E. 31 " "
 Sanderson 13.0 rate; Timber W B Oak, Bech, B Oak, Hick, Sugar, H. W. Sassafras Log wood, Hick Brins H.

West On a Random line between Sec 3 & 10 T. 10 NR 17.
 40.00 Set a trip to support.
 80.14 Intersut the N. & S. line 11 links North of the post corner of Sec. 3.4.9 & 10. Sanderson 13.0 rate; Timber W B Oak, Bech, Hick, Sugar, H. W. Sassafras Log & Iron wood, Brins H.

East On the line between Sec 3 & 10 T. 10 NR 17.
 13.39 To a Hick 14 in diam in the line.
 40.32 Set the trip to support at the ar. dist. in the line from which, Bech 13 in diam beam. 153 M. 28 links dist. to, Hick 6 " " " 159 E. 18 " "
 56.63 To a Sugar 17 in diam in the line.
 80.64 To the post corner of Sec. 2.3.10 & 11.

North Return Sec 3 & 4 T. 10 NR 17.
 22.58 To a Hick 16 in diam in the line.
 40.00 Set a post for support from which,

T. N. 10 N. R. N. 17 W. 2nd Mer. Ind.

Logwood 4 in dia' trees S 88 W. 15' trees east; to,
 W. Oak. 1/2 " " S 85 E. 22 " "
 59.00 To a W. Oak 19 in dia' in the line.
 64.85 To a Birch 15 in dia' in line, corner N. W.
 79.66 Intersub the N. W. corner 1304' trees East of the post on
 of lot 28 33 34. S 11 N. 17 W. and set apart further on of
 " 3 1/4 from which,
 W. Oak 18 in dia' trees N 26 W. 9' trees east; to,
 Birch 4 " " " S 55 E. 14 " "
 Lands set Co. ch. B. B. R. 13.0 rate; balance land 2.
 rate land; Timber Birch, W. Oak, Elm, Hickory, Su-
 gar V. Logwood, Maple, Immortelle, etc.

North Return Sur 32 133. T 10 N. R. 17 W.
 40.00 Set a ~~trip~~ 1/4 support from which,
 Birch 3 in dia' trees N 69 W. 3' trees east; to,
 H. 14 " " " S 55 E. 31 " "
 49.00 To a Birch 25 in dia' in line, corner S. E.
 10.00 Set apart further on of lot 28 29 32 133 from which,
 " 11 in dia' trees S 75 E. 7' trees east; to,
 Oak 20 " " " S 49 W. 33 " "
 Lands hilly, Timber Oak, Birch, Poplar, Ash, etc. mid-
 dling lands for farming.

West On the line line between Sur 21 133 T 10 N. R. 17 W.
 40.00 Set a trip 1/4 support.
 79.16 Intersub the N. W. line 65 in dia' South of the post on of
 lot 27 28 33 34. Lands the same.

West On the line line between Sur 28 133 T 10 N. R. 17 W.
 39.93 Set the trip 1/4 support at the dist in the line from
 which, W. Oak 18 in dia' trees. N 69 E. 23' trees east; to,
 Birch 9 " " " N 76 W. 25 " "

T. N. 10 N. R. N. 17 W. 2nd Mer. Ind.

79.56 To the post on of lot 28 29 32 133

North Return Sur 21 133 T 10 N. R. 17 W.
 40.00 Set a 1/4 support from which,
 Sugar 9 in dia' trees N 72 E. - the dist; to,
 H. 2 1/2 " " " N 88 W. 11 " "
 80.00 Set apart further on of lot 26 27 28 29 from which,
 Birch 4 in dia' trees East 10 in dia' trees east; to,
 H. 15 " " " N 35 W. 21 " "
 Lands hilly, Timber Birch, Oak, Oak, Hickory, etc.
 Lands middling good for farming.

East Return Sur 21 133 T 10 N. R. 17 W.
 2.01 Intersub the B. B. R. line of Harpers Purchase and set
 apart further on of grade Sur 21 133 from which,
 Hickory 1/2 in dia' trees S 37 E. 26' trees east; to,
 Logwood 4 " " " N 61 W. 21 " "
 West On a Random line between Sur 21 133 T 10 N. R. 17 W.
 40.00 Set a trip 1/4 support.
 77.13 A point 10 in dia' South of the post on the old B. B. R.
 Lands from 2nd 13.0 rate. Timber W. Oak, Ash, Poplar,
 Birch, Sugar V. W. Oak, Maple, etc.

East On the line line between Sur 21 133 T 10 N. R. 17 W.
 2.01 Originally surveyed to the old B. B. R.; line extended
 21 1/4 To a Birch 15 in dia' in the line.
 39.56 Set the trip 1/4 support at the dist on the line from
 which, Birch 16 in dia' trees. N 13 E. 7' trees east; to,
 Grey ash 33 " " " S 75 E. 20 " "

64.85 To a Birch 24 in dia' in the line.
 79.13 To the post on of lot 21 22 27 133.

North Return Sur 20 131 T 10 N. R. 17 W.

T. N. 10. N. R. No. 172nd Mer. Ind.

1.41 Set out the A. B. boundary of Harris in Purchase & set
apart 1/4th cor of road. Sec. 20 & 21. From which,
Sugar 14 in dia. beam. S 79 E 11 links dist; &c,
No. 3 " " N 77 E 21 " "
Sends the same.

North Return Sec 20 & 21. T. 10. N. R. 172

1.40 Originally Surveyed to the Old Boundary of Harris
Purchase. Now Extended.

20.35 To a Nicker 19 in dia. stands with the wire.

40.00 Set a 7/8 post from which,
Sugar 18 in dia. beam. N 30 W 10 links dist; &c,
Buck 20 " " " N 87 E 31 " "

41.55 To a Brook. 10 links wide, corner N. W.

64.00 To an Elm 24 in dia. in the line.

80.00 Set a post for the cor of sec 16. 17. 20 & 21 from which,
Buck 4 in dia. beam. N 88 W 27 links dist; &c,
No. 4 " " " N 73 E 12 " "
Sends broken 1/3 rate; Timber N Oak, B Oak, Nicker,
Beech, &c. W. Dog, Elm, & Nicker. Sends &c.

West On a Random line between Sec 16 & 21. T. 10. N. R. 172.

40.00 Set a 1/2 post 7/8 post.

63.00 To a Brook 10 links wide, corner N. W.

79.58 Intersect the N. W. line 34 links North of the post cor of
Sec 16. 17 & 20 & 21. Sends broken 1/3 rate; Timber
Buck, N Oak, B Oak & Nicker &c. W. Dogwood, &c.
Dogwood, &c.

East On the true line between Sec 16 & 21. T. 10. N. R. 172.

23.74 To a N Oak 25 in dia. in the line.

39.64 Set the 1/2 post 7/8 post at the cor dist in the true line
from which, Buck 18 in dia. beam. N 55 E 28 links dist.

T. N. 10. N. R. No. 172nd Mer. Ind.

60.75 Sugar 16 in dia. beam. S 79 W 14 links dist.
To a N Oak 20 in dia. stands in the line.
79.28 To the post cor of sec 15. 16. 21 & 22.

North Return Sec 16 & 21. T. 10. N. R. No. 172.

22.38 To a N Oak 28 in dia. stands in the line.

40.00 Set a 7/8 post from which,
Buck 7 in dia. beam. N 41 W 20 links dist; &c,
No. 16 " " " N 71 E 22 " "

57.00 To a Sugar 13 in dia. stands with the wire.

71.00 To a Brook 12 links wide, corner N. W.

80.10 Set a post for the cor of sec 8. 9. 16 & 17 from which,
Maple 16 in dia. beam. N 39 W 18 links dist; &c,
N Oak 20 " " " N 38 E 26 " "

Sends broken 1/3 rate; Timber N Oak, B Oak, Beech,
Sugar, Nicker, W. Dog, Elm, & Nicker &c.

West On a Random line between Sec 9 & 16. T. 10. N. R. 172.

16.50 To a Brook 10 links wide, corner N. W.

40.00 Set a 1/2 post 7/8 post.

79.16 Intersect the N. W. line 28 links North of the post cor of sec
8. 9. 16, & 17. Sends broken 1/3 rate; Timber N Oak,
B Oak, Beech, & Nicker, W. Dogwood, & Nicker &c.

East On the true line between Sec 9 & 16. T. 10. N. R. 172.

24.16 A Nicker 14 in dia. stands with the wire.

39.58 Set a 1/2 post 7/8 post at the cor dist in the true line from which,
N Oak 13 in dia. beam. S 79 W 13 links dist; &c,
Dogwood 4 " " " N 22 E 16 " "

59.16 To a Poplar 18 in dia. stands with the line.

79.16 To the post cor of sec 9. 11. 13 & 16. December 8. 1819

North Return Sec 9 & 16. T. 10. N. R. 172.

T. N. 10 N. R. N. 1 W. 2nd Mer. Sur.

- 20.46 To app. Oak 19 in dia in the line.
 40.00 Set a post from which,
 Buck. 3 in dia bears N 33 E. 14 miles east, to
 Northam. 21 " " S 64 W. 4 " "
 41.44 To a Buck 6 in dia in the line, corner N. W.
 53.50 To app. Oak 19 in dia in the line.
 70.70 Set a post for the cor. of sec. 4, 5, 8 & 9 from which,
 Buck 22 in dia bears N 72 W. 7 miles east, to
 Sugar. 18 " " " " N 44 E. 21 " "
 Sand broken & 3rd rate; Timber N & W. Oak, Buck,
 Sugar, &c. N of Spruce Logwood, Hickory, & Birch
 Dec. 6 1819.

- West On the line between Sec 4 & 9 T. 10 N. R. 1 W.
 40.00 Set a timber post
 79.46 Intersect the N 75 line 19 miles South of the post cor.
 of Sec 5, 4, 9 & 8. Sand broken & 3rd rate; Timber
 N & W. Oak, Buck, Hickory Sugar &c. Logwood,
 Hickory &c. Ash & Birch.

- East On the line between Sec 4 & 9 T. 10 N. R. 1 W.
 19.62 To a Sugar 16 in dia in the line.
 39.73 Set the timber post at the cor. east in the line
 from which, Hickory 12 in dia bears S 76 E. 24 miles east
 and to Buck. 44 " " " " N 6 E. 50 " "
 52.56 To a Buck 17 in dia in the line.
 79.46 To the post cor of sec 3, 4, 9 & 10.

- North Between Sec 4 & 5 T. 10 N. R. 1 W.
 20.70 To a Buck 16 in dia N end in the line.
 40.00 Set a post from which,
 Buck. 21 in dia bears N 24 W. 5 miles east, to
 Ash 3 " " " " S 11 E. 40 " "

T. N. 10 N. R. N. 1 W. 2nd Mer. Sur.

- 64.57 To app. Oak 22 in dia in the line.
 81.22 Intersect the N. 75 line 13.22 miles East of the post cor.
 of sec 3, 2 & 3. T. 11 N. R. 1 W. and set a post for the cor.
 " " 4.45 from which,
 Logwood 11 in dia bears S 35 E. 7 miles east, to
 Hickory 10 " " " " S 72 W. 17 " "
 Sand broken 2nd & 3rd rate; Timber N & W. Oak,
 Buck, Poplar, Sugar, Ash, &c. N of Logwood, Spruce
 Hickory, Oak &c. Dec. 7 1819.

- East On a Random line between Sec 31 & 32 T. 10 N. R. 1 W.
 30.00 To a Buck 100 in dia in the line, corner N.
 35.00 " " " " " " " " E.
 40.00 Set a timber post
 70.00 To a Buck 100 in dia in the line, corner N.
 79.53 Intersect the South W. of Sec. 65 miles East of the post
 cor. of Sec 31 & 32. Sand in this mile a Buck bottom
 & middling good for farming.

- North On the line between Sec 31 & 32 T. 10 N. R. 1 W.
 39.91 Set the timber post at the cor. east in the line from
 which, Buck 11 in dia bears S 33 E. 16 miles east, to
 " " " " " " " " N 27 W. 13 " "
 79.83 To the post cor of sec 29, 30, 31 & 32.

- East On a Random line between Sec 29 & 32 T. 10 N. R. 1 W.
 40.00 Set a timber post
 79.74 Intersect the N 75 line 4 miles North of the post cor of
 Sec 28, 29, 30 & 31. Sand most for some. East probably
 & middling good for farming; Timber Buck, Sugar &
 Poplar.

- West On the line between Sec 29 & 32 T. 10 N. R. 1 W.

T. No 11. N. No 172nd Mer. Ind.

39.87 Set the tempo to support on the line line at the arc dist from
whit; Buck 8 in dist from. 86 E 32 links dist; to
Lo. 11 " " 80 N. 15 " "

79.74 Set the post on of sec 29 30 31 32.

East Return Sec 30 31 32 T. No 11. N. 17.

40.00 Set a post from whit;
Buck 8 in dist from. 86 N. 11 links dist; to
Lo. 10 " " 82 E. 15 " "

79.01 To a rock 100 links mid, corner N.

80.00 Set a post for the cor of sec 29 30 31 32 from whit;
Buck 11 in dist from. 80 E. 32 links dist; to
Sugon. 14 " " 87 N. 14 " "
Land midling good for farming; Buck Bottom

North Return Sec 29 30 T. No 11. N. 17.

40.00 Set a post from whit;
Sugon 4 in dist from. 81 N. 4 links dist; to
Buck. 10 " " 84 E. 34 " "

79.00 To a rock 15. mds mid, corner N.

80.00 Set a post for the cor of sec 19 20 29 30 from whit;
Buck 9 in dist from. 83 N. 3 links dist; to
W. 10. 14 " " 86 E. 14 " "
Land hilly Timber Buck, Sugar Oak, &c.

East On a Random line between Sec 20 & 29 T. No 11. N. 17.

79.01 To a Rock 10 links mid, corner N.

40.00 Set a tempo to support.

79.96 Set out the N. 13 line 21 links North of the post on of
Sec 20 21 29 30.

West On the line line between Sec 20 & 29 T. No 11. N. 17.

39.98 Set the tempo to support at the arc dist on the line line from

T. No 10. N. No 172nd Mer. Ind.

Whit; Sugar. 15 in dist from. 85 N. 30 links dist
and on Sugon 3 " " 86 N. 4 " "

79.96 Set the post on of sec 19 20 29 30.

East On a Random line between Sec 19 30 T. No 11. N. 17.

40.00 Set a tempo to support.

79.30 Set out the N. 13 line 26 links South of the post on of
Sec. 19 20 29 30 Land low with bottom, Timber Sugon,
Maple, Buck, &c.

West On the line line between Sec 19 30 T. No 11. N. 17.

39.65 Set the tempo to support at the arc dist on the line line from
whit; 13 links in dist from. 81 N. 10 links dist; to
Lo. 8 " " 87 E. 11 " "

79.30 Set the post on of sec 19 30

North Return Sec 19 30 T. No 11. N. 17. 7. 6. 50

40.00 Set a post from whit;
Buck 8 in dist from. 82 E. 12 links dist; to
W. 10. 14 " " 85 E. 15 " "

59.70 Set out the N. 13 line of Harris and Purchase &
Set a post for the cor of sec 19 30 from whit;
Buck 8 in dist from. 83 E. 9 links dist; to
Lo. 4 " " 89 N. 22 " "
Land hilly Timber Oak, Buck, Poplar &c.

North Return Sec 19 30 T. No 11. N. 17.

59.70 Originally Surveyed. To the N. E. corner of Harris and
Purchase Line Eastward

67.64 To a Rock 19 in dist it ends in the line.

80.00 Set a post for the cor of sec 17 18 19 30 from whit;
Sugon 4 in dist from. 82 N. 10 links dist; to
Sugon. 4 " " 85 E. 11 " "

Land broken & 2nd rate; Timber Buck, Noak, Oak,

T. N. 10. N. R. N. 17. 2nd. Mm. Ind.

Lugan &c, N. 9. Spies, &c.

West Return Jul 17/20 T. 10. N. R. 17.
 40.00 Set a trip? to sup. post.
 79.55 Introduced the West Bormat 18 miles South of the post.
 on of sep. 17. 18. 19. 20. Land broken 2nd rate. Timber N. 10. Oak, Hickory & Buck, &c. N. 9. Dogwood
 Ironwood &c.

East On the line between Jul 17/20 T. 10. N. R. 17.
 25.00 To a Buck, 18 in dist in the line.
 39.77 Set the trip? to sup. post at the ar. dist in the line from
 from which, Hornum 5 in dist from. N. 43 E. 21 the dist.
 under a Buck 22 " " " N. 57 E. 28 " "
 57.24 To a Hickory 18 in dist in the line.
 79.55 To the post on of sep. 16. 17. 20. 21.

West On a Random line between Jul 18/19 T. 10. N. R. 17.
 27.31 To a Point 49 miles North of the post on of Jul 18/19
 on the Old B. 17 Land broken 1st rate; Timber
 N. Oak Buck & Ash, N. 9. Spies, &c.

East On the line between Jul 18/19 T. 10. N. R. 17.
 15.05 To a Buck, 19 in dist at end in the line.
 27.31 To the on of sep. 17. 18. 19. 20.

East Return Jul 18/19 T. 10. N. R. 17.
 40.00 Set a trip? to sup. post from which,
 Buck 17 in dist from. T. 82 N. 11 miles dist; to
 Lugan 7 " " " N. 43 N. 13 " "
 39.20 Introduced the Indian Bormat, line & set a post for
 the on of frack. Jul 18/19 from which
 43 " 15 in dist from. - 74 N. 13 miles dist; to
 Buck 16 " " " N. 68 E. 19 " "

T. N. 10. N. R. N. 17. 2nd. Mm. Ind.

Land hilly & middling good for farming. Timber Oak,
Buck, Poplar, &c.

North Return Jul 17/18 T. 10. N. R. 17.
 22.28 To a Hickory 22 in dist in the line.
 40.00 Set a trip? to sup. post from which,
 Hornum 3 in dist from. N. 43 E. 8 the dist; to
 Dogwood 4 " " " N. 67 N. 18 " "
 59.65 To a N. Oak 22 in dist in the line.
 65.00 To a Buck 20 in dist in the line.
 80.00 Set a post for the on of sep. 7. 8. 17. 18 from which,
 Lugan 6 in dist from. N. 47 N. 7 miles dist; to
 Buck, 17 " " " N. 47 E. 14 " "
 Land broken 1st rate; Timber Buck, N. Oak, B. Oak,
 Hickory &c. N. 9. Dogwood, Ironwood, Spies, &c.

West On a Random line between Jul 8/17 T. 10. N. R. 17.
 40.00 Set a trip? to sup. post.
 73.20 To a Buck 10 miles near, leaves &c.
 79.53 Introduced the N. 10. line 8 miles South of the post on of Jul
 7. 8. 17. 18. Land broken 1st rate; Timber N. Oak,
 Buck, Ash, Lugan, &c. N. 9. Spies, &c. Hazle,

East On the line between Jul 8/17 T. 10. N. R. 17.
 17.33 To a Buck, 6 in dist in the line.
 39.76 Set the trip? to sup. post at the ar. dist in the line from
 which, Hornum, 3 in dist from. N. 44 N. 11 the dist;
 under a Buck, 4 " " " N. 46 E. 16 " "
 57.93 To a Buck, 18 in dist in the line.
 79.53 To the on of sep. 8. 9. 16. 17.

West On a Random line between Jul 7/18 T. 10. N. R. 17.
 40.00 Set a trip? to sup. post.

T. N. 10. N. R. No. 172nd Mm. Ind.

49.50. Intersect the West BY 10 miles South of the post on of the
12113 T. 10. N. R. 27. Sande Broken 13. rate; Timber
Hick, Birch, White, Oak, Ve. Wg. Sassafras, Hick,
Oak, Brins &c.

East On the line between Sec 7 & 18 T. 10. N. R. 17.
14.07 To a Hick 22 in dia. stands in the line.
39.75 Set the trap 1/2 in super at the an. dist on the line
from which, Birch 26 in dia. bears N 57 W. 160 yds
made a. L. 16, " " N 10 E 19, "

53.30 To a Hick 14 in dia. in the line.

49.50 To the post on of the 7. 8. 17 & 18.

North Return Sec 7 & 18, T. 10. N. R. 17.

24.00 To a Sugar. 16 in dia. in the line.

40.00 Set a 1/2 super from which,

Birch 4 in dia. bears North 24- 10 W. dist. by
W Oak 17, " " S 78 E 14, " " "

61.11 To a W Oak 27 in dia. in the line.

80.00 Set a post further across 5. 6. 7 & 8 from which,

Birch 5 in dia. bears S 56 W. 18 miles dist. &c.
L. 6, " " S 87 E 16, " "

Sande Broken 13. rate. Timber W Oak, Birch
Hick, Ve. Wg. Logwood Sassafras Hick, Hack-
berry, &c.

West Return Sec 5 & 18 Canham line T. 10. N. R. 17

40.00 Set a trap 1/2 in super.

49.59 Intersect the W. Boundary on N. 1/2 line 28 W. South of the
post on of the 5. 6. 7 & 8. Sande Broken 13. rate;
Timber W Oak, Birch, Sugar, Hick, Poplar, &c.
Wg. Logwood, Sassafras Oak, Hick, Brins &c.

T. N. 10. N. R. No. 172nd Mm. Ind.

East On the line between Sec 5 & 18 T. 10. N. R. 17.

12.00 To a W Oak 26 in dia. stands in the line.

39.79 Set the trap 1/2 in super at the an. dist on the line
from which, Sugar. 6 in dia. bears S 22 W. 260 yds
made a. Sugar. 13, " " N 10 E 29, "

59.81 To a Poplar 39 in dia. in the line.

49.59 To the post on of the 4. 5. 8 & 9.

West On a Random line between Sec 6 & 7 T. 10. N. R. 17.

40.00 Set a trap 1/2 in super.

49.89 Intersect the West BY 24 miles South of the post on of
Sec 17 & 18 T. 10. N. R. 27. Sande Broken 13.
rate; Timber W Oak, Birch, Birch Hick, &c.
Wg. Sassafras, Hick, Logwood, Brins &c. 1817.

East On the line between Sec 6 & 7 T. 10. N. R. 17.

20.14 To a Hick 19 in dia. in the line.

39.94 Set the trap 1/2 in super at the an. dist on the line from
which, Birch 14 in dia. bears N 64 W. 19 the dist. &c.
L. 4, " " S 57 E. 16, " "

46.99 To a W Oak 30 in dia. in the line

49.80 To the post on of the 5. 6. 7 & 8.

North Return Sec 5 & 18 T. 10. N. R. 17

21.74 To a Sp. Oak 54 in dia. in the line.

40.00 Set a 1/2 super from which,

Logwood 6 in dia. bears N 47 W. 11 miles dist. &c.
L. 5, " " S 23 E. 18, " "

60.68 To a Birch 17 in dia. in the line.

83.00 Intersect the N. Boundary 1221 miles East of the post on of the
31 & 32 T. 11. N. R. 17 and set a post further across
576 from which
W Oak 34 in dia. bears S 57 W. 10 the dist. &c.

T. No 10 NR No 1 W Dnd Mr. Ind.

79.50. Intersect the West B^y 10 miles South of the post on of 10.
 12112 T. 10 NR 27. Land broken to 3rd water, Limbs
 Hick^y Beech, Oak, Ash, &c. Wg. Sassafras, Hick^y,
 Oak, Birch &c.

East On the line between Sec 7 & 18 T 10 NR 17.
 14.07 To a Hick^y 22 in dia. stands in the line.
 39.75 Set the trip^t 7/8 support at the an. dist on the line from
 from white, Beech 26 in dia. bears 105° N. 16th dist
 and w. Do. 16 " " S 10 E 19 " "

53.30 To a Hick^y 14 in dia. in the line.
 79.50 To the post on of 10. 7.8. 17 & 18.

North Returns Sec 7 & 18 T 10 NR 17.
 24.00 To a Sugar. 16 in dia. in the line.
 40.00 Set a 7/8 support from white,
 Beech 4 in dia. bears North 24 10th dist by
 W Oak 17 " " S 78 E 14 " "
 61.11 To a W Oak. 24 in dia. in the line.
 80.00 Set a post for the corner 5.6. 7 & 8 from white,
 Beech 5 in dia. bears S 56 W 18 miles dist, &c.
 Do. 6 " " S 57 E 16 " "
 Land broken to 3rd water. Limbs W & B Oak, Beech
 Hick^y &c. Wg. Dogwood Sassafras Hick^y Hack-
 berry &c.

West Returns Sec 5 & 8 On a Random line T 10 NR 17
 40.00 Set a trip^t 7/8 support.
 79.59 Intersect the W B^y 17 on a 17 line 28 miles South of the
 post on of 10. 5.6. 7 & 8. Land broken to 3rd water.
 Limbs W & B Oak, Beech, Sugar, Hick^y Poplar &c.
 Wg. Dogwood, Sassafras Oak, Hick^y, Birch &c.

T. No 10 NR No 1 W Dnd Mr. Ind.

East On the line between Sec 5 & 8 T 10 NR 17.
 12.00 To a W Oak 26 in dia. stands in the line.
 39.79 Set the trip^t 7/8 support at the an. dist on the line from
 from white, Ironwood. 6 in dia. bears S 22 W 26th dist
 and w. Sugar. 13 " " S 10 E 19 " "
 59.81 To a Poplar. 30 in dia. in the line.
 79.59 To the post on of 10. 4.5. 8 & 9.

West On a Random line between Sec 6 & 7 T 10 NR 17.
 40.00 Set a trip^t 7/8 support.
 79.89 Intersect the West B^y 24 miles South of the post on of
 Sec 1 & 10 T 10 NR 27. Land broken to 3rd
 water, Limbs W Oak, B Oak, Beech Hick^y &c.
 Wg. Sassafras Hick^y Dogwood, Birch Dec. 4 1819.

East On the line between Sec 6 & 7 T 10 NR 17.
 20.14 To a Hick^y 19 in dia. in the line.
 39.94 Set the trip^t 7/8 support at the an. dist on the line from
 from white, Beech 14 in dia. bears N 64 W 19th dist, &c.
 Do. 4 " " S 57 E 16 " "
 46.99 To a W Oak. 30 in dia. in the line
 79.80 To the post on of 10. 5.6. 7 & 8.

North Returns Sec 5 & 6 T 10 NR 17
 21.74 To a Sp. Oak. 54 in dia. in the line.
 40.00 Set a 7/8 support from white,
 Dogwood 6 in dia. bears N 45 W 11 miles dist, &c.
 Do. 5 " " S 23 E 18 " "
 60.68 To a Beech 17 in dia. in the line.
 83.00 Intersect the N B^y 1221 miles East of the post on of 10.
 31 & 32 T 11 NR 17 and set a post for the corner
 5 & 6 from white,
 W Oak 34 in dia. bears S 57 W 10th dist, &c.

T. N. 10. N. R. N. 1772. W. M. Ind.

Beet 18 in diameter. N 41 E. 27 1/2 mi. dist.
Land broken 2nd 3rd rate, Timber Oak, Beech,
Sugar, Sp Oak, Hick, Poplar & Ash, (W. Spruce,
Hogwood Ash, Vines &c. &c.

The part of this Township lying in Harrison's Purchase
was surveyed by

William Harris, L.S.

The part lying North of Harrison's Purchase
was surveyed by

Thomas Brown L.S.

I certify that the foregoing Transcript of the field
notes of Township N. 10 North of Range N. 1 West
of the 2nd Principal Meridian, in Indiana, has
been compared with the Original notes in this office
and found to be correct.
Surveyor General's Office,
Cincinnati, Oct. 27. 1841

Sur. General.

Compt.

Township N. 11. North of Range N. 1 West 2nd. Meridian Indiana

South Boundary. r. 600

15.

West Quakranam line On the South 1/2 of sec 36.
T. N. R. 177.

40,00 Set a temp. post.

40,00 To a Rock 30 links mid, corner N.W.

47,00 " Spring corner N.W.

80,00 Set a temp. post for the cor. of sec. 35 & 36.
Land broken & hilly Timber same.

West Quakranam line On the South 1/2 of sec. 35.
T. N. R. 177.

40,00 Set a temp. post.

80,00 Set a temp. post for the cor. of sec. 34 & 35.
Land broken & hilly Timber Oak, Beech, Poplar,
&c. very brushy.

West Quakranam line On the South 1/2 of sec. 34.
T. N. R. 177.

40,00 Set a temp. post.

79,50 To a Rock 30 links mid, corner N.W.

80,00 Set a temp. post for the cor. of sec. 33 & 34.
Land had some mowing good for farming Timber
Oak, Beech, Ash &c. 2nd rate land.

Friday May 21. 1817.

West Quakranam line On the South 1/2 of sec. 33.
T. N. R. 177.

40,00 Set a temp. post.

80,00 Set a temp. post on the line for the cor. of sec. 32 & 33.
Land very broken & hilly; Some soil Timber same

West Quakranam line On the South 1/2 of sec. 32.
T. N. R. 177.